

SILICONE SPRAY

SILIKONOEL

Beschreibung

Schmier-, Pflege- und Schutzmittel für Gummi-, Kunststoff-, und alle Metallteile. Kunststoffteile erhalten Hochglanz und Gummiteile werden gepflegt und geschützt. Temperaturstabil von -50 °C bis $+200\text{ °C}$. Antistatisch, wasserabstossend, oxidationsverhütend und dielektrisch.

Vorteile

- pflegt
- wasserabstossend
- temperaturstabil

Anwendung

Vor Gebrauch schütteln.

Gebindegrösse

500 ml



SILICONE SPRAY

HUILE DE SILICONE

Description

Lubrifie, traite et protège les plastiques, le caoutchouc et toutes les pièces métalliques. Fait briller les pièces en plastique, traite et protège les pièces en caoutchouc. Stable à des températures de -50 °C à +200 °C. Antistatique, hydrophobe, préserve de l'oxydation et diélectrique.

Avantages

- entretient
- hydrophobe
- stable aux températures

Utilisation

Agiter avant l'emploi.

Contenance

500 ml



SILICONE SPRAY

SILICONE OIL

Description

Lubricating, conditioning and protecting agent for plastics, rubber and all metallic parts. Plastic components are given a high gloss and rubber parts are conditioned and do not freeze-up. Thermally stable form - 50°C to +200°C. Antistatic, water-repellent, impregnating and prevents oxidation. Dielectric.

Advantages

- antistatic
- water-repellant
- stable at different temperatures

Use

Shake before use.

Contents

500 ml

