

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **COOLANT M5.0 READY TO USE**

1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

Application of the substance / the mixture

Only for proper handling.
Engine coolant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MOTOREX AG
Bern-Zürich-Strasse 31, Postfach
CH-4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

Further information obtainable from: msds@motorex.com

1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07 GHS08

Signal word Warning

Hazard-determining components of labelling:

Ethane-1,2-diol

Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances

· **Dangerous components:**

CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	Ethane-1,2-diol STOT RE 2, H373; Acute Tox. 4, H302	≥25-≤70%
CAS: 17265-14-4 EINECS: 241-300-3 Reg.nr.: 01-2120762063-61	Disodium sebacate Eye Irrit. 2, H319	≥1-≤3%
CAS: 29385-43-1 EINECS: 249-596-6 Reg.nr.: 01-2119979081-35	methyl-1H-benzotriazole Repr. 2, H361d; Aquatic Chronic 2, H411; Acute Tox. 4, H302	≥0.25-≤1%

· **Additional information:**

Ethane-1,2-diol contains a bittering agent.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Remove residues with soap and water.
Remove contaminated clothing immediately.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
Consult a physician if irritation develops.
- **After swallowing:** Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

GB

(Contd. on page 3)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 2)

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

· **6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep out of the reach of children.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Do not store in zinc containers.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

The recommended storage temperature is (deg.C): ≤50°C

Store containers closed and protect against rain, dust, heat and other atmospheric influences.

· **Storage class:** 12

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

107-21-1 Ethane-1,2-diol

WEL	Short-term value: 104** mg/m ³ , 40** ppm
	Long-term value: 10* 52** mg/m ³ , 20** ppm
	Sk *particulate **vapour

· **DNELs**

107-21-1 Ethane-1,2-diol

Dermal	DNEL / Workers / Systemic effects / Long-term	106 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	53 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Local Effects / Long-term	35 mg/m ³ (worker)
	DNEL/general population/Local effects/Long-term	7 mg/m ³ (consumer)

17265-14-4 Disodium sebacate

Oral	DNEL/general population/Systemic effects/Long-term	5 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	10 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	5 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	35.26 mg/m ³ (worker)

(Contd. on page 4)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 3)

	DNEL/general population/Systemic effects/Long-term	8.7 mg/m ³ (consumer)
29385-43-1 methyl-1H-benzotriazole		
Oral	DNEL/general population/Systemic effects/Long-term	0.01 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	0.3 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	0.01 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	21.2 mg/m ³ (worker)
	DNEL/general population/Systemic effects/Long-term	0.35 mg/m ³ (consumer)

· PNECs

107-21-1 Ethane-1,2-diol

PNEC / Aquatic organisms / Freshwater	10 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Marine water	1 mg/l (aquatic organisms)
PNEC/Aquatic org/intermittent releases(freshwater)	10 mg/l (aquatic organisms)
PNEC/Aquatic organisms/Sewage treatment plant/STP	199.5 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Sediment (freshwater)	37 mg/kg (aquatic organisms)
PNEC / Aquatic organisms / Sediment (marine water)	3.7 mg/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil	1.53 mg/kg (terrestrial organisms)

17265-14-4 Disodium sebacate

PNEC / Aquatic organisms / Freshwater	0.018 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Marine water	0.0018 mg/l (aquatic organisms)
PNEC/Aquatic org/intermittent releases(freshwater)	0.18 mg/l (aquatic organisms)
PNEC/Aquatic organisms/Sewage treatment plant/STP	10 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Sediment (freshwater)	0.548 mg/kg (aquatic organisms)
PNEC / Aquatic organisms / Sediment (marine water)	0.0548 mg/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil	0.0988 mg/kg (terrestrial organisms)

29385-43-1 methyl-1H-benzotriazole

PNEC / Aquatic organisms / Freshwater	0.008 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Marine water	0.02 mg/l (aquatic organisms)
PNEC/Aquatic org/intermittent releases(freshwater)	0.086 mg/l (aquatic organisms)
PNEC/Aquatic org/intermittent releases(marine water)	0.053 mg/l (aquatic organisms)
PNEC/Aquatic organisms/Sewage treatment plant/STP	39.4 mg/l (aquatic organisms)
PNEC / Aquatic organisms / Sediment (freshwater)	0.117 mg/kg (aquatic organisms)
PNEC / Aquatic organisms / Sediment (marine water)	0.292 mg/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil	0.0187 mg/kg (terrestrial organisms)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 4)

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



safety goggles

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Turquoise

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

100 °C (DIN EN ISO 3405)

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C**

8.3 (DIN 51369)

· **Viscosity:**

· **Kinematic viscosity**

2 mm²/s @ 40 °C

· **Consistency**

· **Dynamic:**

Not determined.

· **Solubility**

· **water:**

Fully miscible.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Heat Capacity**

· **Vapour pressure:**

Not determined.

· **Density and/or relative density**

· **Density at 20 °C:**

1.072 g/cm³ (ASTM D 4052)

· **Relative density**

Not determined.

(Contd. on page 6)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 5)

· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Explosive properties:	Product does not present an explosion hazard.
· Solvent separation test:	
· VOC (EC)	0.00 %
· Change in condition	
· Setting temperature / range:	-38 °C
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void
· Other safety characteristics	
· Conductivity	4.3 mS/cm

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.

· **LD/LC50 values relevant for classification:**

107-21-1 Ethane-1,2-diol

Oral	LD50	7,712 mg/kg (rat)
------	------	-------------------

(Contd. on page 7)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 6)

Dermal	NOEL	150 mg/kg/24h (rat)
	NOAEL	200 mg/kg/24h (rat)
	NOAEL	12,500 ppm (mouse)
	LD50	3,500 mg/kg (rat)
Inhalative	NOAEL	2,200-4,400 mg/kg/24h (dog)
	LC50 / 6h	2.5 mg/l (rat)

17265-14-4 Disodium sebacate

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	NOEL	1,000 mg/kg/24h (rat)
	LD50	>2,000 mg/kg (rat) (OECD 402)

29385-43-1 methyl-1H-benzotriazole

Oral	LD50	720 mg/kg (rat)
	NOAEL	150 mg/kg/24h (rat)
	LOAEL	6,700-11,700 mg/kg/24h (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

· **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

107-21-1 Ethane-1,2-diol

LC50	7,286 mg/l/96h (fish)
LC50	1,500 mg/l/28d (fish)
EC50	3,536-13,000 mg/l/96h (algae / cyanobacteria)
EC50	33,911 mg/l/21d (aquatic invertebrates)
EC100	100 mg/l/48h (aquatic invertebrates)
EC0	100 mg/l/48h (aquatic invertebrates)
EC50	100 mg/l/48h (aquatic invertebrates)
NOEC	7,500-15,000 mg/l/21d (aquatic invertebrates)
NOEC	100 mg/l/72h (algae / cyanobacteria)
NOEC	8,590-24,000 mg/l/7d (aquatic invertebrates)
	15,380-32,000 mg/l/7d (fish)

17265-14-4 Disodium sebacate

LC50	18-100 mg/l/96h (fish)
LC50	18 mg/l/48h (aquatic invertebrates)
LC50	161 mg/kg/10d (sediment)
LC10	39 mg/kg/10d (sediment)
EC50	100 mg/l/48h (aquatic invertebrates)
EL50	38.7 mg/l/72h (aquatic algae and cyanobacteria)
NOEC	3 mg/l/72h (aquatic algae and cyanobacteria)
NOEC	10 mg/l/48h (aquatic invertebrates)

29385-43-1 methyl-1H-benzotriazole

LOEC	37.6 mg/l/21d (aquatic invertebrates)
------	---------------------------------------

(Contd. on page 8)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 7)

LC50	55-180 mg/l/96h (fish)
LC0	100 mg/l/96h (fish)
LC50	55 mg/l/48h (aquatic invertebrates)
	240 mg/l/48h (fish)
LC50	180 mg/l/72h (fish)
LC50	240 mg/l/24h (fish)
EC10	0.4-0.97 mg/l/21d (aquatic invertebrates)
EC10	4.17-8.56 mg/l/48h (aquatic invertebrates)
EC50	1,060 mg/l/24h (microorganisms)
EC10	1.18-10.5 mg/l/72h (algae / cyanobacteria)
EC50	29-75 mg/l/72h (algae / cyanobacteria)
EC50	18.4-37.6 mg/l/21d (aquatic invertebrates)
EC50	8.58-15.8 mg/l/48h (aquatic invertebrates)
NOEC	18.4 mg/l/21d (aquatic invertebrates)
NOEC	10-30 mg/l/72h (algae / cyanobacteria)
NOEC	30 mg/l/48h (aquatic invertebrates)
LOEC	37.6 mg/l/21d (aquatic invertebrates)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential**

107-21-1 Ethane-1,2-diol

Partition coefficient ≤ 1.36 [---] (log Kow) (Bioaccumulation)

Biodegradability >90 % (28d) (Biodegradability) (OECD 301 A)

29385-43-1 methyl-1H-benzotriazole

Partition coefficient 1.081 [---] (log Kow) (Bioaccumulation)

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 8)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Not classified as hazardous for transport
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Not classified as hazardous for transport
· 14.3 Transport hazard class(es) · ADR/RID/ADN, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Poisons Act**
- | | |
|---|------------------------------------|
| · Regulated explosives precursors | None of the ingredients is listed. |
| · Regulated poisons | None of the ingredients is listed. |
| · Reportable explosives precursors | None of the ingredients is listed. |
| · Reportable poisons | None of the ingredients is listed. |
- **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008. No special training instructions to ensure protection of human health and environment are required.

- **purity requirement**
· **Relevant phrases**
H302 Harmful if swallowed.
H319 Causes serious eye irritation.

(Contd. on page 10)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 9)

H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

- **Department issuing SDS:** Abteilung Produktsicherheit
- **Abbreviations and acronyms:**
ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- * **Data compared to the previous version altered.**

Annex: Exposure scenario 1

- **Short title of the exposure scenario** Industrial use of coolants
- **Sector of Use**
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Product category**
PC4 Anti-Freeze and de-icing products
PC16 Heat transfer fluids
- **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC20 Use of functional fluids in small devices
- **Environmental release category** ERC7 Use of functional fluid at industrial site
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures** Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.

(Contd. on page 11)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 10)

· **Guidance for downstream users** No further relevant information available.

Annex: Exposure scenario 2

- **Short title of the exposure scenario** Professional use of coolants
- **Sector of Use**
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category**
PC4 Anti-Freeze and de-icing products
PC16 Heat transfer fluids
- **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC20 Use of functional fluids in small devices
- **Environmental release category**
ERC9a Widespread use of functional fluid (indoor)
ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures** Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

Annex: Exposure scenario 3

- **Short title of the exposure scenario** Private use of coolants
- **Sector of Use** SU21 Consumer uses: Private households / general public / consumers
- **Product category**
PC4 Anti-Freeze and de-icing products
PC16 Heat transfer fluids

(Contd. on page 12)

Trade name: COOLANT M5.0 READY TO USE

(Contd. of page 11)

- **Process category**
 - PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
 - PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
 - PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
 - PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
 - PROC20 Use of functional fluids in small devices
- **Environmental release category**
 - ERC9a Widespread use of functional fluid (indoor)
 - ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
 - Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
 - Air** No special measures required.
 - Water** No special measures required.
 - Disposal measures** Ensure that waste is collected and contained.
 - Disposal procedures** Dispose of product residues with household waste.
 - Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

GB